

Bibliographie

- [Adams et Bishof, 1994] Adams, R. et Bishof, L. (1994). Seeded region growing. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 16 :641–647.
- [Alata et Cariou, 2001] Alata, O. et Cariou, C. (2001). Modélisation stochastique linéaire 2-D. In Garello, R., éditeur, *Analyse de signaux bidimensionnels*, chapter 2, pages 67–116. Hermès - Collection IC2, Paris.
- [Albert, 1976] Albert, A. (1976). *Regression and the Moore-Penrose pseudo-inverse*. Academic Press, New-York.
- [Alvarez, 1996] Alvarez, L. (1996). Images and pde's. In Berger, M., Deriche, R., Herlin, I., Jaffré, J., et Morel, J.-M., éditeurs, *Lecture Notes in Control and Information Sciences*, volume 219, pages 3–14.
- [Alvarez et al., 1993] Alvarez, L., Guichard, F., Lions, P. L., et Morel, J. M. (1993). Axioms and fundamental equations of image processing. *Archive for Rational Mechanics and Analysis.*, 16(9) :200–257.
- [Amini et al., 1990] Amini, A., Weymouth, T., et Jain, R. (1990). Using dynamic programming for solving variational problems in vision. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Pattern Analysis and Machine Intelligence-12(9) :855–867.
- [Andres, 1994] Andres, E. (1994). Discrete Circles, Rings and Spheres. *Computers & Graphics*, 18(5) :695–706.
- [Andrews et Hunt, 1977] Andrews, H. et Hunt, B. (1977). *Digital Image Restoration*. Prentice-Hall, Englewood Cliffs (USA).
- [Andrey et Tarroux, 1998] Andrey, P. et Tarroux, P. (1998). Unsupervised segmentation of MRF modeled textured images using selectionist relaxation. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 20(3) :252–262.
- [Antonini et al., 1994] Antonini, M., Gaidon, T., Barlaud, M., et Mathieu, P. (1994). *Wavelet transform and image communication*. Elsevier, Amsterdam.
- [Arce et al., 2000] Arce, G., Paredes, J. L., et Mullan, J. (2000). Non-linear filtering for image analysis and enhancement. In Bovik, A. C., éditeur, *Handbook of Image and Video Processing*, pages 81–100. Academic Press, San Diego (USA).
- [Attasi, 1975] Attasi, S. (1975). Stochastic state representation of images. *Springer Verlag Lecture Notes in Eco. and Math. Systems.*, 107 :218–230.
- [Aubert et Blanc-Féraud, 1999] Aubert, G. et Blanc-Féraud, L. (1999). Some remarks on the equivalence between 2D and 3D classical snakes and geodesic active contours. *Intern. J. Computer Vision*, 34(1) :19–28.
- [Aubert et Kornprobst, 2001] Aubert, G. et Kornprobst, P. (2001). *Mathematical Problems in Image Processing, Partial Differential Equations and the Calculus of Variations*, volume 147 of *Applied Mathematical Sciences*. Springer.
- [Aurdal, 1997] Aurdal, L. (1997). *Analyse d'images IRM 3D multi-échocs pour la détection et la quantification de pathologies cérébrales*. Thèse de doctorat, Ecole Nationale Supérieure des Télécommunications.
- [Azencott, 1992] Azencott, R. (1992). Markov field approach : parameter estimation by qualitative boxes. *Cours : Les Houches*.

- [Azencott et al., 1997] Azencott, R., Wang, J., et Younès, L. (1997). Texture classification using windowed Fourier filters. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 19(2) :148–153.
- [Babaud et al., 1986] Babaud, J., Witkin, A., Baudin, M., et Duda, R. (1986). Uniqueness of the Gaussian kernel for scale-space filtering. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 8 :26–33.
- [Ballard, 1978] Ballard, D. (1978). Generalizing the Hough transform to detect a arbitrary shapes. *Pattern Recognition*, 13(2) :111–122.
- [Barlaud et Labit, 2002] Barlaud, M. et Labit, C. (2002). *Compression et codage des images et des vidéos*. Hermès - Collection IC2, Paris.
- [Baum et al., 1970] Baum, L., Petrie, T., Soules, G., et Weiss, N. (1970). A maximization technique occuring in the statistical ananalysis of probabilistic functions of markov chains. *The Annals of Mathematical Statistics*, 41 :164–171.
- [Beaulieu et Goldberg, 1989] Beaulieu, J. et Goldberg, M. (1989). Hierarchy in picture segmentation : A stepwise optimization. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 11(2) :150–163.
- [Beckmann et Spizzichino, 1963] Beckmann, P. et Spizzichino, A. (1963). *The scattering of electromagnetic waves from rough surfaces*. Artech House, N. Y.
- [Berge, 1958] Berge, C. (1958). *Théorie des graphes et ses applications*. Dunod, Paris.
- [Bergeaud, 1996] Bergeaud, F. (1996). Représentations adaptatives d'images numériques. Thèse de Doctorat de l'Ecole Centrale, Paris.
- [Bergen et Landy, 1991] Bergen, J. et Landy, M. (1991). Computational modeling of visual texture segregation. In Landy, M. S. et Movshon, J. A., éditeurs, *Computational models of visual processing*, pages 253–271. The MIT Press.
- [Berthier, 1993] Berthier, S. (1993). *Optique des milieux continus*. Polytechnica, Paris.
- [Bertrand et al., 1982] Bertrand, G., Queval, R., et Maître, H. (1982). Shape Interpolation by Fourier Descriptors with Application to Animation Graphics. *Signal Processing*, 4 :53–58.
- [Besag, 1974] Besag, J. (1974). Spatial interaction and the statistical analysis of lattice systems. *Journal of the Royal Statistical Society*, B-36 :192–236.
- [Besag, 1986] Besag, J. (1986). On the statistical analysis of dirty pictures. *Journal of the Royal Statistical Society*, B-48 :259–302.
- [Besl et Jain, 1986] Besl, P. J. et Jain, R. C. (1986). Invariant Surface Characteristics for 3D Object Recognition. *Computer Vision, Graphics and Image Processing*, 33 :33–80.
- [Bezdek, 1981] Bezdek, J. C. (1981). *Pattern Recognition with Fuzzy Objective Function Algorithm*. Plenum Press, New York.
- [Black et Rangarajan, 1996] Black, M. et Rangarajan, A. (1996). On the unification of line processes, outlier rejection, and robust statistics with applications in early vision. *Int. J. Comp. Vision*, 19(1) :58–93.
- [Blake et Isard, 1998] Blake, A. et Isard (1998). *Active Contours*. Springer Verlag.
- [Blake et Zisserman, 1987] Blake, A. et Zisserman, A. (1987). *Visual reconstruction*. MIT Press.
- [Blake et Zissermann, 1987] Blake, A. et Zissermann, A. (1987). *Visual Reconstruction*. MIT Press.
- [Blanc-Lapierre et Picinbono, 1981] Blanc-Lapierre, A. et Picinbono, B. (1981). *Fonctions Aléatoires*. Masson, Col. Sc. et Tech. des Télécoms, Paris.
- [Bloch et Maitre, 1997] Bloch, I. et Maitre, H. (1997). *Fusion of Image Information under Imprecision*. B. Bouchon Meunier Ed. , Series Studies in Fuzziness, Physica Verlag, Springer.
- [Borgefors, 1996] Borgefors, G. (1996). Distance Transforms in the Square Grid. In Maître, H., éditeur, *Progress in Picture Processing, Les Houches, Session LVIII, 1992*, chapter 1.4, pages 46–80. North-Holland, Amsterdam.

- [Born et Wolf, 1975] Born, M. et Wolf, E. (1975). *Principles of Optics*. Pergamon Press, Oxford (UK).
- [Bovik, 2000] Bovik, A. C. (2000). Basic gray-level image processing. In Bovik, A. C., éditeur, *Handbook of Image and Video Processing*, pages 21–36. Academic Press, San Diego (USA).
- [Boyer et Moore, 1977] Boyer, R. et Moore, J. (1977). A fast string searching algorithm. *Comm. of Ass. Comp. Mach.*, 20(10).
- [Bracewell, 1995] Bracewell, R. (1995). *Two-Dimensional Imaging*. Prentice-Hall, Englewood Cliffs (USA).
- [Bracewell, 1978] Bracewell, R. N. (1978). *The Fourier Transform and its Applications*. Mc Graw Hill.
- [Brodatz, 1966] Brodatz, P. (1966). *Textures*. Dover Pub. (New York).
- [Bunde et Havlin, 1991] Bunde, A. et Havlin, S. (1991). *Fractals and Disordered Systems*. Springer Verlag, Berlin.
- [Bunde et Havlin, 1994] Bunde, A. et Havlin, S. (1994). *Fractals in Science*. Springer Verlag, Belin.
- [Burt, 1981] Burt, P. (1981). Fast filter transforms for image processing. *Comp. Graphics and Image Proc.*, 16 :20–51.
- [Calle et Montanvert, 1998] Calle, D. et Montanvert, A. (1998). Super-résolution inducing of an image. In *IEEE ICIP'98 - Int. Conf. on Image Processing*, volume III, pages 232–236.
- [Callet, 1998] Callet, P. (1998). *Couleur-lumière couleur matière*. Diderot Ed. Arts et Sciences.
- [Candès, 1999] Candès, E. (1999). Harmonic analysis of neural networks. *Applied and Computational Harmonic Analysis*, (6) :197–218.
- [Candès et Donoho, 1999] Candès, E. et Donoho, D. (1999). Ridgelets : a key to higher-dimensional intermittency? *Phil. Trans. R. Soc. Lond., A.*, 357 :2495–2509.
- [Canny, 1986] Canny, J. (1986). A computational approach to edge detection. *IEEE Pattern Analysis and Machine Intelligence*, 8(6) :679–698.
- [Carmo, 1976] Carmo, M. P. D. (1976). *Differential Geometry of Curves and Surfaces*. Prentice Hall, Englewood Cliffs, New-Jersey.
- [Carron, 1995] Carron, T. (1995). *Segmentation d'images couleur dans la base Teinte Luminance Saturation : approche numérique et symbolique*. Thèse de doctorat, Université de Savoie.
- [Carterette et Friedman, 1975] Carterette, E. C. et Friedman, M. P. (1975). *Handbook of perception, Vol V, Seeing*. Academic Press, New-York.
- [Caselles et al., 1997] Caselles, V., Kimmel, R., et Sapiro, G. (1997). On geodesic active contours. *Int. J. Computer Vision*, 21(1) :61–79.
- [Chalmond, 1989] Chalmond, B. (1989). An iterative gibbsian technique for reconstruction of m-ary images. *Pattern Recognition*, 22(6) :747–762.
- [Chalmond, 1999] Chalmond, B. (1999). *Eléments de modélisation pour l'analyse d'images*, volume 33. Springer - Mathématiques & Applications.
- [Chalmond, 2000] Chalmond, B. (2000). *Eléments de modélisation pour l'Analyse d'Images*, volume 33. Springer Verlag, Mathématiques et Applications.
- [Cham et al., 1998] Cham, F., Lam, F., et Zhu, H. (1998). Adaptive thresholding by variational methods. *IEEE Trans on Image Proc.*, 7(3) :468–473.
- [Chang et Kuo, 1993] Chang, T. et Kuo, C. (1993). Texture analysis and classification with tree structured wavelet transform. *IEEE Trans. on Image Processing*, 2(4) :429–441.
- [Chang et Li, 1994] Chang, Y. et Li, X. (1994). Adaptive image region growing. *IEEE Trans on Image Proc.*, 3 :868–872.

- [Charbonnier, 1994] Charbonnier, P. (1994). *Reconstruction d'image : régularisation avec prise en compte des discontinuités*. Thèse de doctorat, Université de Nice Sophia Antipolis.
- [Charbonnier et al., 1996] Charbonnier, P., Blanc-Féraud, L., Aubert, G., et Barlaud, M. (1996). Deterministic edge-preserving regularization in computed imaging. *IEEE Transactions on Image Processing*, 5(12).
- [Chassery et Chenin, 1980] Chassery, J. M. et Chenin, M. I. (1980). Topologies on Discrete Spaces. In Simon et Haralick, éditeurs, *Digital Image Processing*, pages 59–66. Reidel.
- [Chassery et Montanvert, 1991] Chassery, J. M. et Montanvert, A. (1991). *Géométrie discrète*. Hermes, Paris.
- [Chellappa et Kashyap, 1985] Chellappa, R. et Kashyap, R. (1985). Texture synthesis using 2d non-causal AR models. *IEEE Trans on Acoustic Speech and Signal Proc.*, 33 :194–293.
- [Chen et Pavlidis, 1979] Chen, P. et Pavlidis, T. (1979). Segmentation by textures using a cooccurrence matrix and a split and merge algorithm. *Comp. graph. and Image Proc.*, 10 :172–182.
- [Chen et al., 1991] Chen, S., Lin, W., et Chen, C. (1991). Split and merge image segmentation based on localized image features and statistical tests. *Comp. Vision Graphics and Image Proc : Graph. Models and Image Proc.*, 53 :457–475.
- [Chesnaud et al., 1999] Chesnaud, C., Réfrégier, P., et Boulet, V. (1999). Statistical region snake-based segmentation adapted to different physical noise models. *IEEE PAMI*, 21(11) :1145–1157.
- [Cocquerez et Philipp, 1996] Cocquerez, J. et Philipp, S. (1996). *Analyse d'Images : Filtrage et Segmentation*. Masson.
- [Coggins et Jains, 1985] Coggins, J. et Jains, A. (1985). A spatial filtering approach to texture analysis. *Pattern Recognition Letters*, 3(3) :195–203.
- [Cohen, 1992] Cohen, A. (1992). *Ondelettes et traitement numérique du signal*. Masson, Paris.
- [Cohen, 1991] Cohen, L. D. (1991). On active contour models and balloons. *Computer Vision, Graphics, and Image Processing : Image Understanding*, 53(2) :211–218.
- [Cointepas et al., 2001] Cointepas, Y., Bloch, I., et Garnero, L. (2001). A Cellular Model for Multi-Objects Multi-Dimensional Homotopic Deformations. *Pattern Recognition*, 34(9) :1785–1798.
- [Cook et Torrance, 1982] Cook, R. et Torrance, K. (1982). A reflectance model for computer graphics. *ACM Transactions on Graphics*, 1(1) :7–24.
- [Cooley et Tukey, 1965] Cooley, J. et Tukey, J. (1965). An algorithm for the machine calculation of complex Fourier series. *Math. of Computers*, 19 :297–301.
- [Cornsweet, 1973] Cornsweet, T. N. (1973). *Visual perception*. Academic Press, New-York.
- [Coster et Chermant, 1985] Coster, M. et Chermant, J. L. (1985). *Précis d'analyse d'images*. Editions du CNRS.
- [Cozannet et al., 1981] Cozannet, A., Fleuret, J., Maître, H., et Rousseau, M. (1981). *Optique et Télécommunications*. Eyrolles, Paris.
- [Cross et Jain, 1983] Cross, G. et Jain, A. (1983). Markov random fields texture models in image analysis. *J. Applied Statistics*, 5(1) :25–39.
- [Cullmann, 1975] Cullmann, G. (1975). *Initiation aux chaînes de Markov, méthodes et applications*. Masson.
- [Darell et al., 1990] Darell, T., Sclaroff, S., et Pentland, A. (1990). Segmentation by minimum description length. In *Int. Conf. on Computer Vision (Osaka)*, pages 112–116.
- [Daubechies, 1992a] Daubechies, I. (1992a). *Ten Lectures on Wavelets*. CBMS-NSF, SIAM, Philadelphia, USA.
- [Daubechies, 1992b] Daubechies, I. (1992b). *Wavelets*. S.I.A.M., Philadelphia.
- [de Valois et al., 1982] de Valois, R. L., Yund, E., et Hepler, N. (1982). The orientation and direction selectivity of cells in macaque visual cortex. *Vision Research*, 22 :531–544.

- [Debled-Rennesson et Reveillès, 1995] Debled-Rennesson, I. et Reveillès, J.-P. (1995). A Linear Algorithm for Segmentation of Digital Curves. *International Journal on Pattern Recognition and Artificial Intelligence*, 9 :635–662.
- [Decreusefond et Maruani, 2005] Decreusefond, L. et Maruani, A. (2005). *Mathématiques, Informatique, Physique au fil des TIPE*. Springer, Scopos, Paris.
- [Delahaye, 1994] Delahaye, J. (1994). *Information, Complexité et Hasard*. Hermès, Paris.
- [Demigny et Kamlé, 1997] Demigny, D. et Kamlé, T. (1997). A discrete expression of Canny's criteria for step edge detector. Performances evaluation. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 19(11) :1199–1211.
- [Deriche, 1987] Deriche, R. (1987). Using canny's criteria to derive recursively implemented optimal edge detector. *Int. J. Computer Vision*, 1(2) :167–187.
- [Derin et Elliott, 1987a] Derin, H. et Elliott, H. (1987a). Modeling and segmentation of noisy and textured images using gibbs random fields. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 9(1).
- [Derin et Elliott, 1987b] Derin, H. et Elliott, H. (1987b). Modeling and segmentation of noisy and textured images using gibbs random fields. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 9 :39–55.
- [Derin et al., 1985] Derin, H., Elliott, H., et Kuang, J. (1985). A new approach to parameter estimation for gibbs random field. In *Int. Conf. on ASSP*.
- [Descombes, 1993] Descombes, X. (1993). *Champs Markoviens en Analyse d'Images*. Thèse de doctorat, TELECOM Paris.
- [Descombes et al., 1995] Descombes, X., Mangin, J. F., Pechersky, E., et Sigelle, M. (1995). Fine structures preserving Markov model for image processing. *The 9th Scandinavian Conference on Image Analysis (Uppsala, Sweden)*, 2 :349–356.
- [Descombes et al., 1999] Descombes, X., Morris, R., Zerubia, J., et Berthod, M. (1999). Estimation of markov random field prior parameters using markov chain monte carlo likelihood. *IEEE Transactions on Image Processing*, 8(7) :954–963.
- [diZenzo., 1986] diZenzo., S. (1986). A note on the gradient of multi-image. *Computer Vision, Graphics and Image Proc.*, 33 :116–125.
- [Dodgson, 1997] Dodgson, N. (1997). Quadratic interpolation for image resampling. *IEEE Trans. on Image Processing*, 6(9) :1322–1326.
- [Dorst et Smeulders, 1984] Dorst, L. et Smeulders, W. M. (1984). Discrete Representation of Straight Lines. *IEEE Trans. on PAMI*, 6(4) :450–463.
- [Dougherty (Ed.), 1992] Dougherty (Ed.), E. (1992.). *Image Processing and Mathematical Morphology*. Marcel Dekker.
- [Dubuisson, 1990] Dubuisson, B. (1990). *Diagnostic et reconnaissance des formes*. Hermès, Paris.
- [Duda et Hart, 1973] Duda, R. et Hart, P. (1973). *Pattern classification and scene analysis*. Interscience, New-York.
- [Duntley, 1942] Duntley, S. (1942). The optical properties of diffusing materials. *J. Optical Society of America*, 32(2).
- [Durant, 1961] Durant, E. (1961). *Solutions numériques des équations algébriques*, volume Tome 1 et 2. Masson, Paris.
- [Ell et Sangwine, 2000] Ell, T. et Sangwine, S. (2000). Hypercomplex Wiener-Khintchine theorem with application to color image correlation. In IEEE, éditeur, *ICIP 2000*, volume II, pages 792–796.
- [Estournet, 1969] Estournet, D. (1969). Etude statistique d'un signal d'images. *L'Onde Electrique*, page 510.

- [Evans et al., 2000] Evans, C., Sangwine, S. J., et Ell, T. A. (2000). Hypercomplex color-sensitive smoothing filters. In IEEE, éditeur, *ICIP 2000*, volume 1, pages 541–544, Vancouver.
- [Evans, 1998] Evans, L. C. (1998). *Partial differential equations*. Graduate Studies in Mathematics. American Mathematical Society.
- [Fairfield, 1990] Fairfield, J. (1990). Toboggan contrast enhancement for contrast segmentation. In *IAPR 10th Int. Conf. on Pattern Recognition*, pages 712–716, Atlantic City.
- [Faugeras, 1976] Faugeras, O. (1976). *Digital Color Image Processing and Psychophysics within the framework of a human visual model*. Thèse de doctorat, University of Utah.
- [Faugeras, 1993] Faugeras, O. (1993). *Three-Dimensional Computer Vision : A Geometric Viewpoint*. MIT Press, Cambridge, MA.
- [Fischler et Bolles, 1981] Fischler, M. et Bolles, R. (1981). Random sample consensus : A paradigm for model fitting with applications to image analysis and automated cartography. *Communication of the ACM*, 24 :381–385.
- [Fisher, 1995] Fisher, Y. (1995). *Fractal Image Compression*. Springer Verlag, Berlin.
- [Flandrin, 1998] Flandrin, P. (1998). *Temps-fréquence*. Hermès, Paris.
- [Fleuret, 1977] Fleuret, J. (1977). *Holographie numérique et application à divers traitements des images*. Thèse d'état, Université Paris Sud.
- [Foley et al., 1995] Foley, J., van Dam, A., Feiner, S. K., Hughes, J. F., et Philips, R. L. (1995). *Introduction à l'infographie*. Addison-Wesley, Paris.
- [Forsythe et Moler, 1967] Forsythe, G. et Moler, C. (1967). *Computer solutions of linear algebraic systems*. Prentice hall, Englewood Cliffs (USA).
- [Franel, 1924] Franel, J. (1924). Les suites de Farey et les problèmes des nombres premiers. *Göttinger Nachrichten*, pages 198–201.
- [Françon, 1970] Françon, M. (1970). *Vibrations lumineuses - Optique cohérente*. Dunod, Paris.
- [Freeman, 1961] Freeman, H. (1961). On the encoding of arbitrary geometric configurations. *IEEE Trans on Electr. Comput.*, 10 :260–268.
- [Freeman, 1977] Freeman, H. (1977). Computer processing of line drawing images. *ACM Computer Survey*, 6 :57–97.
- [Fua et Leclerc, 1990] Fua, P. et Leclerc, Y. G. (1990). Model driven edge detection. *Machine Vision and Applications*, 3(1) :45–56.
- [Fukunaga, 1990] Fukunaga, K. (1990). *Introduction to statistical pattern recognition*. Academic Press.
- [Gagalowics et Tournier-Lasserve, 1986] Gagalowics, A. et Tournier-Lasserve, C. (1986). Third order model for non homogeneous natural textures. In *Int. Conf. Pattern Recognition*, volume 86, pages 409–411, Vancouver.
- [Gallager, 1966] Gallager, R. (1966). *Information Theory and reliable communication*. John Wiley, New York.
- [Gallice, 2002] Gallice, J. (2002). *Images de profondeur*. Hermès, Paris.
- [Garello, 2001] Garello, R. (2001). *Analyse de signaux bidimensionnels*. Collection IC2. Hermès, Paris.
- [Geiger et Giroi, 1991] Geiger, D. et Giroi, F. (1991). Parallel and deterministic algorithms from mrf's : Surface reconstruction. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(5) :401–412.
- [Geman et Geman, 1984a] Geman, S. et Geman, D. (1984a). Stochastic Relaxation, Gibbs Distribution, and the Bayesian Restoration of Images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-6(6) :721–741.
- [Geman et Geman, 1984b] Geman, S. et Geman, D. (1984b). Stochastic relaxation, Gibbs distribution and the Bayesian restoration of images. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 12(7) :721–741.

- [Geman et McClure, 1985] Geman, S. et McClure, D. E. (1985). Bayesian image analysis : an application to single photon emission tomography. *Proc. Statist. Comput. sect. (Amer. Statist. Assoc. Washington DC)*, pages 12–18.
- [Géraud et al., 1995] Géraud, T., Mangin, J. F., Bloch, I., et H.Maître (1995). Segmenting internal structures in 3D MR images of the brain by Markovian relaxation on a watershed based adjacency graph. *IEEE ICIP (Austin)*, III :548–552.
- [Giraudon, 1987] Giraudon, G. (1987). Chaînage efficace de contours. Rapport technique 605, INRIA.
- [Golub et van Loan, 1996] Golub, G. et van Loan, C. F. (1996). *The Singular Value Decomposition*. John Hopkins University Press, Baltimore.
- [Goodman, 1976] Goodman, J. (1976). Some fundamental properties of speckle. *Journal Optical Society of America*, 66(11) :1145–1150.
- [Gordon, 1998] Gordon, I. E. (1998). *Theories of Visual Perception*. John Wiley, New York (USA).
- [Goshtasby et al., 1990] Goshtasby, A., Cheng, F., et Barsky, B. A. (1990). B-spline curves and surfaces viewed as digital filters. *Computer Vision Graphics and Image Processing*, 52 :264–275.
- [Goutsias et Heijmans, 2000] Goutsias, J. et Heijmans, H. J. A. M. (2000). Nonlinear Multiresolution Signal Decomposition Schemes : Part I : Morphological Pyramids. *IEEE Transactions on Image Processing*, 9(11) :1862–1876.
- [Graffigne, 1987] Graffigne, C. (1987). *Experiments in Texture Analysis and Segmentation*. Thèse de doctorat, Division of Applied Mathematics - Brown University.
- [Grangeat, 2001] Grangeat, P. (2001). *Tomographie médicale*. Collection IC2. Hermès, Paris.
- [Green et Sibson, 1978] Green, P. J. et Sibson, R. (1978). Computing Dirichlet Tessellation in the Plane. *The Computer Journal*, 21 :168–173.
- [Gregory, 1966] Gregory, R. L. (1966). *L'œil et le cerveau, la psychologie de la vision*. Hachette.
- [Grimson, 1981] Grimson, D. (1981). *From images to surface*. MIT Press, Cambridge USA.
- [Grossberg et Mingolla, 1985] Grossberg, S. et Mingolla, E. (1985). Neural dynamics of perceptual grouping : textures, boundaries and emergent segmentations. *perception Psychophys.*, 38 :141–171.
- [Grunbaum et Shepard, 1989] Grunbaum, B. et Shepard, G. C. (1989). *Tilings and Patterns : an Introduction*. Freeman.
- [Guichard et Morel, 2002] Guichard, F. et Morel, J.-M. (2002). *Image Iterating Smoothing and P.D.E.'s*. Cours de DEA, ENS-Cachan. A paraître.
- [Guillois, 1996a] Guillois, J. (1996a). *Techniques de compression des images*. Hermes, Paris, France.
- [Guillois, 1996b] Guillois, J. P. (1996b). *ITechnique de compression des images*. Hermes, Paris.
- [Guth, 1991] Guth, S. (1991). Model for color vision and light adaption. *J. Opt. Soc. Am. A*, 8(6).
- [Guyon, 1992] Guyon, X. (1992). *Champs aléatoires sur un réseau - modélisations, statistique et applications*. Collection Techniques Stochastiques, Masson.
- [Guzman, 1968] Guzman, A. (1968). Decomposition of visual scene into three-dimensional bodies. In *Proc J. computer Conf. AFIPS*, volume 33, pages 291–304.
- [Hadwiger, 1957] Hadwiger, H. (1957). *Vorlesungen über Inhalt, Oberfläche und Isoperimetrie*. Springer-Verlag, Berlin.
- [Haralick et Shapiro, 1985] Haralick, R. M. et Shapiro, S. G. (1985). Survey : Image segmentation techniques. *Comp. Vision Graphics and Image Processing*, 29 :100–132.
- [Heath et al., 1997] Heath, M., Sankar, S., Sanocki, T., et Bowyer, K. (1997). A robust visual method for assessing the relative performance of edge detection algorithms. *IEEE Pattern Analysis and Machine Intelligence*, 19(12) :1338–1359.

- [Hégron, 1985] Hégron, G. (1985). *Synthèse d'image : algorithmes élémentaires*. Bordas, Dunod Informatique, Paris.
- [Heijmans, 1991] Heijmans, H. (1991). Theoretical Aspects of Gray-Level Morphology. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 13 :568–582.
- [Heijmans et Goutsias, 2000] Heijmans, H. J. A. M. et Goutsias, J. (2000). Nonlinear Multiresolution Signal Decomposition Schemes : Part II : Morphological Wavelets. *IEEE Transactions on Image Processing*, 9(11) :1897–1913.
- [Heijmans et Ronse, 1990] Heijmans, H. J. A. M. et Ronse, C. (1990). The Algebraic Basis of Mathematical Morphology – Part I : Dilations and Erosions. *Computer Vision, Graphics and Image Processing*, 50 :245–295.
- [Heitz et al., 1994] Heitz, F., Pérez, P., et Bouthemey, P. (1994). Multiscale minimization of global energy function in some visual recovery problems. *Comp. Vision Graphics and Image Proc : Image Understanding*, 59(1).
- [Hellstrom, 1967] Hellstrom, C. (1967). Image restoration by the method of least squares. *J. Opt. Soc. Amer.*, 57(3) :297.
- [Hestenes, 1975] Hestenes, M. (1975). Pseudoinverse and conjugate gradient. *Com. of the Ass. Comp. Mach.*, 18(1) :40–43.
- [Horowitz et Pavlidis, 1976] Horowitz, S. et Pavlidis, T. (1976). Picture segmentation by a tree traversal algorithm. *J. Ass. Comp. Mach.*, 23(2) :368–388.
- [Householder et Bauer, 1960] Householder, A. et Bauer, F. (1960). On certain iterative methods for solving linear systems. *Numer. Math.*, 2 :55–59.
- [Hu, 1962] Hu, M. K. (1962). Visual pattern recognition by moment invariants. *IRE Trans on Information Theory*, IT-8(2) :179–187.
- [Hu et Fahmy, 1992] Hu, R. et Fahmy, M. (1992). Texture segmentation based on a hierarchical Markov random field. *Signal Processing*, 26 :285–305.
- [Huang, 1976] Huang, T. S. (1976). Picture Processing and Digital Filtering. *Topics in Applied Physics*, 6.
- [Huang, 1981] Huang, T. S. (1981). Two Dimensional Signal Processing I. *Topics in Applied Physics*, 42.
- [Hubel et Wiesel, 1969] Hubel, D. et Wiesel, T. (1969). Anatomical demonstration of columns in the monkey striate cortex. *Nature*, 221 :747–750.
- [Huber, 1981] Huber, P. (1981). *Robust Statistics*. Jojn Wiley and Sons, New York.
- [Hueckel, 1971] Hueckel, M. (1971). An operator which locates edges in digitized pictures. *J. Ass. Comp. Mach.*, 18(1) :113–125.
- [Ising, 1925] Ising, E. (1925). Beitrag zur theorie des ferromagnetisms. *Zeitschrift fur Physik*, 31 :253–258.
- [Jain et Farrokhnia, 1991] Jain, A. et Farrokhnia, F. (1991). Unsupervised texture segmentation using Gabor filters. *Pattern Recognition*, 24(12) :1167–1186.
- [Julesz, 1971] Julesz, B. (1971). *Foundations of Cyclopean Perception*. The University of Chicago Press, Chicago.
- [Karabassis et Spetsakis, 1995] Karabassis, E. et Spetsakis, M. (1995). An analysis of image interpolation, differentiation and reduction using local polynomial fits. *Graphical Models and Image Processing*, 57(3) :183–196.
- [Kass et al., 1988] Kass, M., Witkin, A., et Terzopoulos, D. (1988). Active contour models. *Int. J. Comp. Vision*, 1 :321–331.
- [Keren et al., 1990] Keren, D., Marcus, R., Werman, M., et Peleg, S. (1990). Segmentation by minimum length encoding. In *10th Int. Conf. on Pattern recogn. (Atlantic City)*, pages 681–683.
- [Kerker, 1969] Kerker, M. (1969). *The scattering of light and other electromagnetic radiation*. Academic Press, New York.

- [Kervrann et Heitz, 1995] Kervrann, C. et Heitz, F. (1995). A Markov random field model-based approach to unsupervised texture segmentation using local and global statistics. *IEEE Trans Image Processing*, 4(6) :856–862.
- [Khalimsky et al., 1990] Khalimsky, E., Koppermann, R., et Meyer, P. R. (1990). Computer Graphics and Connected Topologies as Finite Ordered Sets. *Topology and its Applications*, 36 :1–17.
- [Khoumri, 1997] Khoumri, M. (1997). Estimation d’hyperparamètres pour la déconvolution d’images satellitaires - rapport de stage dea. Rapport technique, INRIA Sophia.
- [Kim et Yaroslavski, 1986] Kim, V. et Yaroslavski, L. (1986). Rank algorithms for picture processing. *Comp. Vision Graphics and Image Proc.*, 35 :234–258.
- [Kimia et al., 1992] Kimia, B. B., Tannenbaum, A., et Zucker, S. W. (1992). On the evolution of curves via a function of curvature. I. the classical case. *Journal of Mathematical Analysis and Applications*, 163(2) :438–458.
- [Kirkpatrick et al., 1982] Kirkpatrick, S., Gellatt, C. D., et Vecchi, M. P. (1982). Optimization by simulated annealing. *IBM Thomas J. Watson research Center, Yorktown Heights, NY*.
- [Kittler et al., 1985] Kittler, J., Illingworth, J., et Foglein, J. (1985). Threshold selection based on a simple image statistic. *Comp. Vision Graphics and Image Proc*, 30 :125–147.
- [Klein, 1989] Klein, R. (1989). *Concrete and Abstract Voronoï Diagrams*. Springer Verlag.
- [Klette et Rosenfeld, 2004] Klette, R. et Rosenfeld, A. (2004). *Digital Geometry*. Morgan Kaufmann, San Francisco.
- [Koenderink, 1984] Koenderink, J. (1984). The structure of images. *Biological Cybernetics*, 50 :363–370.
- [Kolers, 1972] Kolers, P. A. (1972). Reading pictures : Some cognitive aspects of visual perception. In Gordon et Breach, éditeurs, *Picture Band with Compression*, pages 97–126. T. S. Huang and O. J. Tretiak.
- [Kolmogorov, 1965] Kolmogorov, A. (1965). Three approaches of the qualitative definition of information. *Information Transmission*, 1(1) :3–11.
- [Kong et Rosenfeld, 1989] Kong, T. Y. et Rosenfeld, A. (1989). Digital Topology : Introduction and Survey. *Computer Vision, Graphics, and Image Processing*, 48 :357–393.
- [Kotropoulos et al., 1997] Kotropoulos, C., Gabrani, M., et Pitas, I. (1997). Adaptive multichannel L-filters with structural constraints. In *IEEE - Int. Work on Non Linear Signal and Image Processing, NSIP’97*, pages 181–183, Michigan.
- [Kovalesky, 1989] Kovalesky, V. A. (1989). Finite Topology as applied to Image Analysis. *Computer Vision, Graphics, and Image Processing*, 46 :141–161.
- [Kunduri et al., 1999] Kunduri, S., Maître, H., Roux, M., Demigny, D., et Karabernou, M. (1999). An improved method for isotropic edge orientation estimation . In SPIE, éditeur, *Europto’99*, Florence.
- [Laine et Fan, 1993] Laine, A. et Fan, J. (1993). Texture classification by wavelet packet signature. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 15 :1186–1190.
- [Lakshmanan et Derin, 1989a] Lakshmanan, S. et Derin, H. (1989a). Simultaneous parameter estimation and segmentation of gibbs random fields using simulated annealing. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 11(8) :799–813.
- [Lakshmanan et Derin, 1989b] Lakshmanan, S. et Derin, H. (1989b). Simultaneous parameter estimation and segmentation of gibbs random fields using simulated annealing. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 11(8) :799–813.
- [Landau et Lifschitz, 1961] Landau, L. et Lifschitz, E. (1961). *Cours de Physique Tome 5 - Physique Statistique*. Editions Mir.
- [Leclerc, 1989] Leclerc, Y. (1989). Constructing simple stable descriptions for image partitionning. *Int. J. of Computer Vision*, 3(1989) :73–102.

- [Lee et al., 1998] Lee, K.-M., Meer, P., et Park, R.-H. (1998). Robust adaptive segmentation of range image. *IEEE T. Pattern Analysis and Machine Intelligence*, 20(2) :200–205.
- [Lee, 1998] Lee, T. (1998). Segmenting images corrupted by correlated noise. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 20(5) :481–492.
- [LeGrand, 1956] LeGrand, Y. (1956). *Optique Physiologique*. Editions de la Revue d’Optique, Paris.
- [Lelong-Ferrand et Arnaudès, 1971] Lelong-Ferrand, J. et Arnaudès, J. (1971). *Cours de Mathématiques, Algèbre*, volume 511. Dunod Universités, Paris.
- [Linde et al., 1980] Linde, Y., Buzo, A., et Gray, R. (1980). An algorithm for vector quantizer designs. *IEEE Trans on Communications*, C-28 :84–95.
- [Locher et al., 1972] Locher, J. L., Broos, C. H. A., Escher, M. C., Locher, G. W., et Coxeter, H. S. M. (1972). *L’œuvre de M. C. Escher*. Editions du Chêne, Paris.
- [Lowrance et Wagner, 1975] Lowrance, R. et Wagner, R. (1975). An extension of the string to string correction problem. *J. Ass. Comp. Mach.*, 22(2) :177–183.
- [Lu et Fu, 1978] Lu, S. et Fu, K. (1978). A syntactic approach to texture analysis. *Computer Graphics and Image Proc.*, 7(3) :303–330.
- [Lu et Fu, 1979] Lu, S. et Fu, K. (1979). Stochastic tree grammar inference for texture synthesis and discrimination. *Computer Graphics and Image Proc.*, 9 :234–245.
- [Maeland, 1988] Maeland, E. (1988). On the comparison of interpolation methods. *IEEE Trans. on Medical Imaging*, 7(3) :213–217.
- [Maître, 1977] Maître, H. (1977). Propriétés fondamentales des signaux d’image. *GRETSI*, 1 :34–40.
- [Maître, 1981] Maître, H. (1981). Iterative picture restoration using video optical feedback. *Comp. Graph. and Image Proc.*, 16 :95–115.
- [Maître, 1985a] Maître, H. (1985a). Un panorama de la transformation de Hough. *Traitement du Signal*, 2(4) :305–317.
- [Maître, 1985b] Maître, H. (1985b). Un panorama de la transformation de Hough. *Traitement du Signal*, 2(4) :305–317.
- [Maître, 1986] Maître, H. (1986). Contribution to the Prediction of Performances of the Hough Transform. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 8(5) :669–674.
- [Maître, 1996] Maître, H. (1996). Entropy, information and image. In Maître, H. et Zinn-Justin, J., éditeurs, *Progress in Picture Processing*, volume LVIII, pages 81–117. North Holland, Amsterdam.
- [Maître, 2001] Maître, H. (2001). *Le traitement des images de Radar à Synthèse d’Ouverture (Ouvrage collectif)*. Hermes, collection IC2, Paris.
- [Mallat, 1989] Mallat, S. (1989). A theory of multiresolution signal decomposition : the wavelet representation. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 11 :674–693.
- [Mallat, 2000] Mallat, S. (2000). *Une exploration des signaux en ondelettes*. Les éditions de l’Ecole Polytechnique, Palaiseau, France.
- [Mallat et Zhong, 1993] Mallat, S. et Zhong, Z. (1993). Matching pursuits with time-frequency dictionaries. *IEEE Trans. Signal Processing*, 41(12) :3397–3415.
- [Mandelbrot, 1977] Mandelbrot, B. (1977). *Fractals, Form, Chance and Dimension*. W.H. Freeman, San Francisco.
- [Manjunath et Chellapa, 1991] Manjunath, B. et Chellapa, R. (1991). Unsupervised texture segmentation using Markov random field models. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 13(5) :478–482.
- [Marion, 1997] Marion, A. (1997). *Acquisition et Visualisation des Images*. Eyrolles, Paris.

- [Marr et Hildreth, 1980] Marr, D. et Hildreth, E. (1980). Theory of edge detection. In *Proc. Royal Soc. London*, volume 207 of *B*, pages 187–217.
- [Martelli, 1972] Martelli, A. (1972). Edge detection using heuristic search methods. *Comp. Graph. and Image Proc.*, 1 :169–182.
- [Mayhew et Frisby, 1978] Mayhew, J. et Frisby, J. P. (1978). Texture discrimination and Fourier analysis in the human visual system. *Nature*, 275 :438–439.
- [Meer et al., 1991] Meer, P., Mintz, D., Rosenfeld, A., et Kim, D. (1991). Robust regression methods for computer vision : A review. *Int. J. Computer Vision*, 6 :59–70.
- [Melamed, 1963] Melamed, N. (1963). Optical properties of powder. *J. of Applied Physics*, 34 :560–570.
- [Métivier et Priouret, 1987] Métivier, M. et Priouret, P. (1987). Théorèmes de convergence presque sûre pour une classe d’algorithmes stochastiques à pas décroissant. *Probability Theory and Related Fields*, 74 :403–428.
- [Metropolis et al., 1953] Metropolis, N., Rosenbluth, A. W., Rosenbluth, N. M., Teller, A. H., et Teller, E. (1953). Equation of state calculations by fast computing machines. *J. Chemical Physics*, 21 :1087–1091.
- [Meyer, 1990] Meyer, Y. (1990). *Ondelettes. Ondelettes et opérateurs*. Hermann, Paris. Tome 1.
- [Miclet, 1984] Miclet, L. (1984). *Méthodes structurelles pour la reconnaissance des formes*. Eyrolles, Paris.
- [Modestino et Fries, 1977] Modestino, J. et Fries, R. (1977). Edge detection in noisy images using recursive digital filters. *Comp. Graph. and Image Proc.*, pages 409–433.
- [Mohr et al., 1994] Mohr, R., Boufama, B., et Brand, P. (1994). Accurate projective reconstruction. In Mundy, J. L., Zisserman, A., et Forsyth, D., éditeurs, *Application of invariance in computer vision*, volume LNCS 825, pages 297–316. Springer-Verlag, Berlin.
- [Montanari, 1971] Montanari, U. (1971). On the optimal detection of curves in noisy images. *Com. ACM*, 14 :335–345.
- [Mumford et Shah, 1989] Mumford, D. et Shah, J. (1989). Optimal approximations by piecewise smoothed functions and associated variational problems. *Com. Pure and Applied Math.*, XLII :577–685.
- [Murch, 1973] Murch, G. M. (1973). *Visual and auditory perception*. Bobbs-Merrill, New-York.
- [Natsuyama, 1979] Natsuyama, M. N. T. (1979). Edge preserving smoothing. *Computer Graphics and Image Processing*, 9 :394–407.
- [Nayatani et al., 1990] Nayatani, Y., Takahama, K., Sobagaki, H., et Hashimoto, K. (1990). Color-appearance model and chromatic-adaption transform. *Color Research and Application*, 15(14) :210–221.
- [Nevatia et Babu, 1980] Nevatia, R. et Babu, K. (1980). Linear feature extraction and description. *Comp. Graphics and Image Proc.*, 13(3) :257–269.
- [Nicodemus et al., 1977] Nicodemus, F. E., Richmond, J. C., Hsia, J. J., Ginsberg, I. W., et Limperis, T. (1977). *Geometrical considerations and nomenclature for reflectance*. Number 160. National Bureau of Standards, Washington.
- [Nicolas, 1995] Nicolas, J. M. (1995). Techniques numériques de traitement du signal : les aspects 2d. ENST, cours de dominante SIG/IMA, Paris.
- [Nicolas, 1999] Nicolas, J. M. (1999). Systèmes d’imagerie satellitale, cours de 3a., Rapport technique, ENST, Paris.
- [Ohlander et al., 1978] Ohlander, R., Price, K., et Reddy, D. (1978). Picture segmentation using a recursive region splitting method. *Comp. Graphics and Image Proc.*, 8 :313–333.
- [Olivier et al., 1997] Olivier, C., Jouzel, F., ElMatouat, A., et Courtellemont, P. (1997). Un nouveau critère pour la sélection de l’ordre d’un modèle. In *GRETSI’97*, pages 451–454, Grenoble.
- [Onsager, 1944] Onsager, L. (1944). *Physical Review*, 65 :117.

- [Osher et Sethian, 1988] Osher, S. et Sethian, J. (1988). Front propagating with curvature dependant speed : Algorithm based on the Hamilton-Jacobi formulations. *Journal of Computational Physics*, 79 :12–49.
- [Palmer et al., 1996] Palmer, P., Dabis, H., et Kittler, J. (1996). A performance measure for boundary detection algorithms. *Comp. Vis. and Image Understanding*, 63(3) :476–494.
- [Peitgen et Saupe, 1988] Peitgen, H. et Saupe, D. (1988). *The science of fractal images*. Springer Verlag, Berlin.
- [Pentland, 1984] Pentland, A. (1984). Fractal based description of natural scenes. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 6 :661–674.
- [Perez et Heitz, 1991] Perez, P. et Heitz, F. (1991). Une approche multiéchelle à l’analyse d’images par champs markoviens. In *8ième Congres AFCET RFIA*, pages 1003–1015.
- [Perona et Malik, 1987] Perona, P. et Malik, J. (1987). Scale space and edge detection using anisotropic diffusion. In *IEEE Workshop on Computer Vision*, pages 16–22, Miami. IEEE.
- [Perona et Malik, 1990a] Perona, P. et Malik, J. (1990a). Scale-space and edge detection using anisotropic diffusion. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12(7) :629–639.
- [Perona et Malik, 1990b] Perona, P. et Malik, J. (1990b). Scale-space and edge detection using anisotropic diffusion. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12(7) :629–639.
- [Pesquet-Popescu et Pesquet, 2001] Pesquet-Popescu, B. et Pesquet, J.-C. (2001). Ondelettes et applications. *Techniques de l’Ingénieur, traité Télécoms*, TE 5 215.
- [Petrou et Kittler, 1991] Petrou, M. et Kittler, J. (1991). Optimal edge detectors for ramp edges. *IEEE-Pattern Analysis and Machine Intelligence*, 13(5) :1483–1491.
- [Peyrard, 2001] Peyrard, N. (2001). *Approximations de type champ moyen des modèles de champ de Markov pour la segmentation de données spatiales*. Thèse de doctorat, Université J. Fourier, Grenoble.
- [Pham, 1986] Pham, S. (1986). Digital Straight Segments. *Computer Vision, Graphics, and Image Processing*, 36 :10–30.
- [Phillips, 1962] Phillips, D. (1962). A technique for the numerical solution of certain integral equations of the first kind. *J. Ass. Comp. Mach.*, 9 :84.
- [Phillips et Wilson, 1984] Phillips, G. C. et Wilson, H. (1984). Orientation bandwidths of spatial mechanisms measured by masking. *JOSA - A*, 1 :226–232.
- [Phong, 1975] Phong, B. T. (1975). Illumination for computer generated pictures. *Communications of the ACM*, 6(18) :311–317.
- [Pieczynski, 1994] Pieczynski, W. (1994). Hidden markov fields and iterative conditional estimation. *Traitement du Signal*, 11(2) :141–153.
- [Pirenne et Crouzy, 1972] Pirenne, M. H. et Crouzy, R. (1972). *Gauthiers-Villars. L’œil et la vision*, Paris.
- [Pitas et Venetsanopoulos, 1990] Pitas, I. et Venetsanopoulos, A. (1990). *Nonlinear digital filters*. Kluwer Academic.
- [Porte et Vignes, 1974] Porte, M. L. et Vignes, J. (1974). *Algorithmes Numériques (Tome 1)*. Technip, Paris.
- [Portilla et Simoncelli, 2000] Portilla, J. et Simoncelli, E. (2000). A parametric texture model based on joint statistics of complex wavelets coefficients. *International Journal of Computer Vision*, 40(1) :49–71.
- [Pratt, 1975] Pratt, W. (1975). Vector formulation of 2D signal processing operations. *Comp. Graph. and Image Proc.*, 4(1) :1–24.
- [Pratt, 1978] Pratt, W. (1978). *Digital image processing*. Wiley Interscience, New-York.
- [Preparata et Shamos, 1988] Preparata, F. P. et Shamos, M. I. (1988). *Computational Geometry, an Introduction*. Springer Verlag.
- [Pérez, 1991] Pérez, J. P. (1991). *Optique géométrique, ondulatoire et polarisation*. Masson, Paris.

- [Princen et al., 1992] Princen, J., Illingworth, J., et Kittler, J. (1992). A formal definition of the Hough transform : properties and relationships. *J. Math. Image and Vision*, 1 :153–168.
- [Randen et Husøy, 1999] Randen, T. et Husøy, J. (1999). Filtering of texture classification : a comparative study. *IEEE Pattern Analysis and Machine Intelligence*, 21(4) :291–310.
- [Redner et Walker, 1984] Redner, R. et Walker, H. (1984). Mixture densities, maximum likelihood and the em algorithm. *SIAM Review*, 26 :195–239.
- [Reed et du Buf, 1993] Reed, T. et du Buf, H. (1993). A review of recent texture segmentation and feature extraction techniques. *Comp. Vision Graphics and Image Proc : Image Undesrtand.*, 57(3) :359–372.
- [Richardson, 1961] Richardson, L. (1961). The problem of contiguity : an appendix of statistics of deadly quarrels. *General System Year*, 6 :139–187.
- [Rissanen, 1984] Rissanen, J. (1984). *IEEE Tr. Inform. Theory*, 30 :629–636.
- [Rissanen, 1987] Rissanen, J. (1987). Minimum description length principle. *Encyclopedia of Statistical Sciences*, 3 :523–527.
- [Rissanen, 1989] Rissanen, J. (1989). *Stochastic complexity in Statistical Inquiry*. World Scientific, Singapore.
- [Robinson, 1977] Robinson, G. (1977). Edge detection by compass gradient masks. *Computer Graphics and Image Processing*, 6 :492–501.
- [Roddier, 1999] Roddier, F. (1999). *Adaptive Optics in Astronomy*. Cambridge University Press, Cambridge.
- [Ronse, 1985] Ronse, C. (1985). A Simple Proof of Rosenfeld’s Characterization of Digital Straight Line Segments. *Pattern Recognition Letters*, 3 :323–326.
- [Ronse et Heijmans, 1991] Ronse, C. et Heijmans, H. J. A. M. (1991). The Algebraic Basis of Mathematical Morphology – Part II : Openings and Closings. *Computer Vision, Graphics and Image Processing*, 54 :74–97.
- [Rosenfeld, 1970] Rosenfeld, A. (1970). Connectivity in Digital Pictures. *Journal of ACM*, 17(1) :146–160.
- [Rosenfeld, 1974] Rosenfeld, A. (1974). Digital Straight Line Segments. *IEEE Trans. on Computers*, 23(12) :1264–1269.
- [Rosenfeld, 1979] Rosenfeld, A. (1979). Digital Topology. *Amer. Math. Monthly*, pages 621–630.
- [Rousseeuw et Leroy, 1987] Rousseeuw, P. et Leroy, A. (1987). *Robust regression and outlier detection*. John Wiley, New-York.
- [Rudin, 1987] Rudin, L. (1987). *Images, Numerical Analysis of Singularities and Shock Filters*. Thèse de doctorat, California Institute of Technology.
- [Rudin et Osher, 1994] Rudin, L. et Osher, S. (1994). Total variation based image restoration with free local constraints. In *IEEE ICIP’94*, volume I, pages 31–35, Dallas (TX).
- [Rudin et al., 1992a] Rudin, L., Osher, S., et Fatemi, E. (1992a). Nonlinear total variation based noise removal algorithms. *Physica D* 60, No.1-4, 259-268. [ISSN 0167-2789].
- [Rudin et al., 1992b] Rudin, L., Osher, S., et Fatemi, E. (1992b). Nonlinear total variation based noise removal algorithms. *Physica D*, 60(1-4) :259–268.
- [Rudin, 1998] Rudin, W. (1998). *Analyse Réelle et Complexe*. Dunod, 3eme edition.
- [Sahoo et al., 1988] Sahoo, P., Soltani, S., Wong, A., et Chen, Y. (1988). A survey of thresholding techniques. *Comp. Vision Graphics and Image Proc.*, 41(1) :233–260.
- [Saint-Marc et al., 1989] Saint-Marc, P., Chen, J., et Medioni, G. (1989). Adaptive smoothing : A general tool for early vision,. In *CVPR’89*, pages 618–624.
- [Saito et Coifman, 1995] Saito, N. et Coifman, R. (1995). Local discriminant bases and their applications. *J. Mathematical Imaging and Vision*, 5(4) :337–358.

- [Sangwine, 1998] Sangwine, S. (1998). Colour image edge-detector based on quaternion convolution. *Electronics Letters*, 34(10) :969–971.
- [Sangwine, 1996] Sangwine, S. J. (1996). Fourier transforms of colour images using quaternions or hypercomplex numbers. *Electronics Letters*, 32(21) :1979–1980.
- [Santalo, 1940] Santalo, L. A. (1940). Complemento a la Nota : un Teorema Sobre Conjuntos de Paralelepipedos de Aristas Paralelas. *Publ. Int. Mat. Univ. Nac. Litoral*, 2 :49–60.
- [Santalo, 1976] Santalo, L. A. (1976). *Integral Geometry and Geometric Probability*. Addison Wesley.
- [Saporta, 1978] Saporta, G. (1978). *Théorie et Méthodes Statistiques*. Princeton University Press.
- [Saporta, 1990] Saporta, G. (1990). *Probabilités, analyse de données et statistiques*. Editions Technip, Paris.
- [Sarkar et Boyer, 1991] Sarkar, S. et Boyer, K. (1991). Optimal infinite impulse response zero crossing based edge detectors. *Comp. Vision Graphics and Image Proc Image Understanding*, 54(2) :224–243.
- [Schmitt et Mattioli, 1994a] Schmitt, M. et Mattioli, J. (1994.a). *Morphologie mathématique*. Masson, Paris.
- [Schmitt et Mattioli, 1994b] Schmitt, M. et Mattioli, J. (1994b). *Morphologie Mathématique*. Masson.
- [Schwartz, 1995] Schwartz, L. (1995). *Analyse, tome I : Théorie des ensembles et topologie*. Eds. Hermann, Paris.
- [Serra, 1982a] Serra, J. (1982a). *Image Analysis and Mathematical Morphology*. Academic Press, New-York.
- [Serra, 1982b] Serra, J. (1982b). *Image analysis and mathematical morphology*. Academic Press, New York.
- [Serra (Ed.), 1988] Serra (Ed.), J. (1988.). *Image Analysis and Mathematical Morphology, Part II : Theoretical Advances*. Academic Press, London.
- [Sethian, 1985] Sethian, J. (1985). Curvature and the evolution of fronts. *Comm. Math. Phys.*, 101.
- [Sethian, 1996] Sethian, J. (1996). *Level-set methods*. Cambridge University Press.
- [Shanmugam et Green, 1979] Shanmugam, K. et Green, J. (1979). An optimal frequency domain filter for edge detection in digital pictures. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 1 :37–49.
- [Shannon, 1948] Shannon, C. (1948). The mathematical theory of communications. *Bell System Technical J.*, 27 :379–423.
- [Shen et Castan, 1986] Shen, J. et Castan, S. (1986). An optimal linear operator for edge detection. In *Proceeding CVPR Miami*.
- [Sigelle, 1993] Sigelle, M. (1993). *Champs de Markov en traitement d'images et modèles de la physiques statistique : applications en relaxation d'images de classification*. Thèse de doctorat, Ecole Nationale Supérieure des Télécommunications.
- [Sigelle, 1997] Sigelle, M. (1997). Simultaneous image restoration and hyperparameter estimation for incomplete data by a cumulant analysis. Rapport technique, INRIA Sophia Antipolis.
- [Sklansky, 1978] Sklansky, J. (1978). On the Hough technique for curve detection. *IEEE Trans. Comp.*, 27(100) :923–926.
- [Soille, 1999] Soille, P. (1999). *Morphological Image Analysis*. Springer-Verlag, Berlin.
- [Spacek, 1986] Spacek, L. (1986). Edge detection and motion detection. *Image and Vision Computing*, 4 :43–56.
- [Suk et Chung, 1993] Suk, M. et Chung, S. (1993). A new image segmentation technique based on partition mode test. *Pattern Recognition*, 16(5) :469–480.
- [Sève, 1996] Sève, R. (1996). *Physique de la couleur : de l'apparence colorée à la technique colorimétrique*. Masson - Physique fondamentale et appliquée, Paris.
- [Tagare et Figueiredo, 1985] Tagare, H. et Figueiredo, R. (1985). Order filters. *Proc of the IEEE*, 73(1) :163–165.
- [Terzopoulos, 1983] Terzopoulos, D. (1983). Multilevel computational process for visual surface reconstruction. *Comp. Vision Graph. and Image Proc.*, 24 :52–96.

- [Tikonov et Arsenine, 1974] Tikonov, A. et Arsenine, V. (1974). *Méthode de résolution de problèmes mal-posés*. Editions MIR, Moscou.
- [Torrance et Sparrow, 1967] Torrance, K. et Sparrow, E. (1967). Theory for off-specular reflection from roughened surfaces. *J. Opt. Soc. Am.*, 57(9) :1105–1114.
- [Torre et Poggio, 1986] Torre, V. et Poggio, T. (1986). On edge detection. *IEEE Pattern Analysis and Machine Intelligence*, 8 :147–153.
- [Toussaint, 1985] Toussaint, G. T. (1985). *Computational Geometry*. North Holland, Amsterdam.
- [Tupin, 1997] Tupin, F. (1997). *Reconnaissance des formes et analyse de scènes en imagerie radar à ouverture synthétique*. Thèse de doctorat, Ecole Nationale Supérieure des Télécommunications.
- [Tupin et al., 1996] Tupin, F., Trouvé, E., Descombes, X., Nicolas, J.-M., et Maître, H. (1996). Improving IFSAR phase unwrapping by early detection of non-interferometric features. *European Symposium on Satellite Remote Sensing III (Taormina, Italy)*.
- [Twomey, 1965] Twomey, S. (1965). The application of numerical filtering to the solution of the integral equations encountered in indirect sensing measurements. *J. Franklin Institute*, 279 :95–109.
- [Unser, 1986] Unser, M. (1986). Local linear transforms for texture measurement. *Signal Processing*, 11(1) :61–79.
- [Unser, 1995] Unser, M. (1995). Texture classification and segmentation using wavelet frame. *IEEE Trans on Image Processing*, 4(11) :1549–1560.
- [Unser, 1999] Unser, M. (1999). Splines. a perfect fit for signal and image processing. *IEEE Signal Processing Magazine*, 16(6) :22–38.
- [Unser et al., 1993a] Unser, M., Aldroubi, A., et Eden, M. (1993a). B-spline signal processing - Part I. *IEEE Trans. on Signal Processing*, 41(2) :821–833.
- [Unser et al., 1993b] Unser, M., Aldroubi, A., et Eden, M. (1993b). B-spline signal processing - Part II. *IEEE Trans. on Signal Processing*, 41(2) :834–848.
- [VanGool et al., 1985] VanGool, L., Dewaele, P., et Oosterlinck, A. (1985). Textural analysis anno 1983. *Comp. Graph. and Image Processing*, 29 :336–357.
- [Vetterli et Kovačević, 1995] Vetterli, M. et Kovačević, J. (1995). *Wavelets and subband coding*. Prentice Hall, Englewood Cliffs, New Jersey.
- [Vickers et Modestino, 1982] Vickers, A. et Modestino, J. (1982). A maximum likelihood approach to texture classification. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 4 :61–68.
- [Vincent, 1989] Vincent, L. (1989). Graphs and Mathematical Morphology. *Signal Processing*, 16 :365–388.
- [Vincent, 1992] Vincent, L. (1992). Morphological Algorithms. In Dougherty, E., éditeur, *Mathematical Morphology in Image Processing*, pages 255–288. Marcel Dekker.
- [Vincent et Soille, 1991] Vincent, L. et Soille, P. (1991). Watersheds in Digital Spaces : an Efficient Algorithm based on Immersion Simulations. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 13(6) :583–598.
- [Wagner et Fisher, 1974] Wagner, R. et Fisher, M. (1974). The string to string correction problem. *J. Ass. Comp. Mach.*, 21(1) :168–173.
- [Wang, 1998] Wang, J.-P. (1998). Stochastic relaxation on partitions with connected components and its application to image segmentation. *IEEE Pattern Analysis and Machine Intelligence*, 20(6) :619–636.
- [Weickert, 1998] Weickert, J. (1998). *Anisotropic Diffusion In Image Processing*. Teubner, Stuttgart.
- [Weickert et al., 1998] Weickert, J., ter Haar Romeny, B., et Viergever, M. (1998). Efficient and reliable schemes for nonlinear diffusion filtering. *IEEE Transactions on Image Processing*, 7 :398–410.
- [Wertheimer, 1944] Wertheimer, M. (1944). Gestalt Theorie. *Social Research*, 11 :78–99.

- [Weszka, 1978] Weszka, J. (1978). A survey of threshold selection techniques. *Comp. Graphics and Image Proc.*, 7 :259–265.
- [Winkler, 1995] Winkler, G. (1995). *Image Analysis, Random Fields and Dynamic Monte Carlo Methods. A Mathematical Introduction*. Applications of mathematics. Springer-Verlag.
- [Witkin, 1983a] Witkin, A. (1983a). Scale-space filtering. In *International Joint Conference on Artificial Intelligence*, pages 1019–1023.
- [Witkin, 1983b] Witkin, A. P. (1983b). Scale-space filtering. In *Proceedings of the International Joint Conference on Artificial Conference*, pages 1019–1021.
- [Won et Derin, 1992] Won, C. et Derin, H. (1992). Unsupervised segmentation of noisy and textured images using Markov random fields. *Comp. Vision Graphics and Image Proc : Graphical Models and Image Processing*, 54(4) :308–328.
- [Wood, 1981] Wood, J. W. (1981). Two-Dimensional Kalman filtering. In Huang, T., éditeur, *Two-Dimensional Digital Signal Processing I*, volume 42 of *Topics in Applied Physics*. Springer Verlag, Berlin.
- [Wu, 1982] Wu, F. Y. (1982). The potts model. *Review of Modern Physics*, 54(1).
- [Wu et Maître, 1992] Wu, Y. et Maître, H. (1992). Smoothing speckled synthetic aperture radar images by using maximum homogeneous region filters. *Optical Engineering*, 31(8) :1785–1792.
- [Younes, 1988] Younes, L. (1988). Estimation and annealing for gibbsian fields. *A. Inst Henri Poincaré*, 24(2) :269–294.
- [Younes, 1989] Younes, L. (1989). Parametric inference for imperfectly observed gibbsian fields. *Probability Theory and Related Fields*, 82 :625–645.
- [Younes, 1991] Younes, L. (1991). Parameter estimation for imperfectly observed gibbs fields and some comments on chalmond’s em gibbsian algorithm. In *stochastic models, statistical methods and algorithms in image analysis*. P. Barone and A. Frigessi, Lecture Notes in Statistics, Springer.
- [Zamperoni, 1996] Zamperoni, P. (1996). Feature extraction. In Maître, H. et Zinn-Justin, J., éditeurs, *Progress in Picture Processing, Les Houches 92*, volume LVIII, pages 119–182. North-Holland.
- [Zerubia et Blanc-Féraud, 1998] Zerubia, J. et Blanc-Féraud, L. (1998). Hyperparameter estimation of a variational model using a stochastic gradient method. In *SPIE Bayesian Inference for Inverse Problems Proceedings*, volume 3459.
- [Zerubia et Chellapa, 1993] Zerubia, J. et Chellapa, R. (1993). Mean field annealing using compound Gauss-Markov random fields for edge detection and image estimation. *IEEE Transactions on neural networks*, 4(4) :703–709.
- [Zhang et Modestino, 1990] Zhang, J. et Modestino, J. (1990). A model fitting approach to cluster validation with applications to stochastic model-based image segmentation. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 4 :1009–1017.
- [Zhao et al., 2000] Zhao, H.-K., Osher, S., Merriman, B., et Kang, M. (2000). Implicit non-parametric shape reconstruction from unorganized data using variational level set method. *Comp. Vision Graphics and Image Proc*, 80(3) :295–314.
- [Zhu et Yuille, 1996] Zhu, S. et Yuille, A. (1996). Region competition : Unifying snakes, region growing and Bayes/MDL for multiband image segmentation. *IEEE Trans on Pattern Analysis and Machine Intelligence*, 18 :884–900.
- [Zohar, 1974] Zohar, S. (1974). The solution of toplitz set of linear equations. *J. of the Ass. Comp. Mach.*, 21(2).